

## 32–220 Adjustment of front springs

### Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring									
		None		1		Special equipment 2		3		4	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

### A. Sedans and coupes with standard suspension

Vehicles without air-conditioning

123.020 <sup>2)</sup>	123 321 37 04	13	18	18	23	18	23	–	–	–	–
	123 321 39 04	–	–	–	–	–	–	8	13	13	18
123.023 <sup>2)</sup>	123 321 37 04	13	18	18	23	–	–	–	–	–	–
	123 321 39 04	–	–	–	–	8	13	13	18	18	23
123.026	123 321 21 04	8	13	13	18	18	23	18	23	–	–
123.030	123 321 21 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	13	18	18	23	–	–
123.043	123 321 39 04	8	13	8	13	13	18	18	23	–	–
123.050 123.053	123 321 21 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	8	13	13	18	–	–
123.120 <sup>3)</sup>	123 321 39 04	13	18	13	18	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	–	–
123.123 <sup>3)</sup>	123 321 39 04	13	18	18	23	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	–	–
123.126 <sup>2)</sup>	123 321 39 04	8	13	13	18	18	23	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13
123.130	123 321 27 04	8	13	13	18	13	18	18	23	–	–
123.220 <sup>3)</sup>	123 321 37 04	13	18	18	23	–	–	–	–	–	–
	123 321 39 04	–	–	–	–	8	13	13	18	–	–
123.223 <sup>3)</sup>	123 321 37 04	18	23	–	–	–	–	–	–	–	–
	123 321 39 04	–	–	8	13	8	13	13	18	–	–
123.243	123 321 37 04	13	18	18	23	–	–	–	–	–	–
	123 321 39 04	–	–	–	–	8	13	13	18	–	–

<sup>1)</sup> Special equipment: Sliding roof, automatic transmission, supplementary heater, police equipment.

<sup>2)</sup> Power steering taken into account as special equipment.

<sup>3)</sup> On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

**Adjustment of front springs (association front springs — rubber mounts)**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring									
		blue	red	blue	red	blue	red	blue	red	blue	red

**Sedans and coupes with standard suspension**

Vehicles with air-conditioning

123.020 <sup>2)</sup>	123 321 39 04	8	13	8	13	13	18	18	23	—	—
	123 321 27 04	—	—	—	—	—	—	—	—	8	13
123.023 <sup>2)</sup>	123 321 39 04	8	13	13	18	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	8	13
123.026 <sup>2)</sup>	123 321 21 04	18	23	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18	—	—
123.030 123.033	123 321 27 04	13	18	18	23	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	—	—
123.043	123 321 39 04	13	18	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	8	13	—	—
123.050	123 321 27 04	13	18	18	23	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	—	—
123.053	123 321 27 04	8	13	13	18	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	—	—
123.120 <sup>3)</sup>	123 321 39 04	18	23	—	—	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	13	18	18	23	—	—
123.123 <sup>3)</sup> 123.126	123 321 27 04	8	13	8	13	13	18	18	23	—	—
123.130	123 321 27 04	18	23	18	23	—	—	—	—	—	—
	123 321 36 04	—	—	—	—	8	13	13	18	—	—
123.220 <sup>3)</sup>	123 321 39 04	8	13	13	18	18	23	18	23	—	—
123.223 <sup>3)</sup>	123 321 39 04	8	13	13	18	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	—	—
123.243	123 321 39 04	8	13	13	18	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	—	—

<sup>1)</sup> Special equipment: Sliding roof, automatic transmission, supplementary heater, police equipment.

<sup>2)</sup> Power steering taken into account as special equipment.

<sup>3)</sup> On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

**Adjustment of front springs (association front springs — rubber mounts)**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring							
						Special equipment			
		None		1		2		3	
		blue	red	blue	red	blue	red	blue	red

**Sedans, police version, with standard suspension**

Vehicles **without** air-conditioning

123.026	123 321 21 04	18	23	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18
123.033	123 321 27 04	13	18	18	23	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.120	123 321 39 04	18	23	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18
123.123	123 321 39 04	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	8	13	13	18
123.130	123 321 27 04	13	18	18	23	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.220	123 321 39 04	8	13	13	18	18	23	18	23
123.223	123 321 39 04	8	13	13	18	18	23	—	—
	123 321 27 04	—	—	—	—	—	—	8	13

Vehicles **with** air-conditioning

123.026	123 321 27 04	8	13	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.033	123 321 36 04	8	13	8	13	13	18	18	23
123.120	123 321 27 04	8	13	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.123	123 321 27 04	13	18	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.130	123 321 36 04	8	13	8	13	13	18	18	23
123.220 123.223	123 321 39 04	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	8	13	13	18

<sup>1)</sup> Special equipment: Slide roof, automatic transmission, ABS, supplementary heater.

# Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring									
		blue	red	blue	red	blue	red	blue	red	blue	red

## T-sedans, police version, with standard suspension

Vehicles **without** air-conditioning

123.093	123 321 27 04	8	13	13	18	13	18	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.183	123 321 39 04	13	18	18	23	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	8	13
123.190	123 321 27 04	8	13	13	18	18	23	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.193 <sup>2)</sup>	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	13	18	13	18	–	–
123.280	123 321 37 04	18	23	–	–	–	–	–	–	–	–
	123 321 39 04	–	–	8	13	13	18	18	23	18	23
123.283	123 321 37 04	18	23	–	–	–	–	–	–	–	–
	123 321 39 04	–	–	8	13	13	18	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13

Vehicles **with** air-conditioning

123.093	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	8	13	13	18	18	23
123.183	123 321 27 04	8	13	8	13	13	18	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.190	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	8	13	13	18	18	23
123.193 <sup>2)</sup>	123 321 36 04	13	18	18	23	18	23	–	–	–	–
	123 321 41 04	–	–	–	–	–	–	8	13	–	–
123.280 123.283	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	8	13	13	18

1) Special equipment: Slide roof, automatic transmission, ABS, supplementary heater.

2) Automatic transmission not taken into account as special equipment.

# Adjustment of front springs (association front springs – rubber mounts)

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring											
		Special equipment											
		None		1		2		3		4			
		Color code of spring											
		blue	red	blue	red	blue	red	blue	red	blue	red		

## C. T-sedans

Standard version with normal additional load (permissible rear axle load 1150/1155 kg or 1195/1200 kg)

Vehicles without air-conditioning

123.083 <sup>2)</sup>	123 321 37 04	18	23	18	23	—	—	—	—	—	—
	123 321 39 04	—	—	—	—	8	13	13	18	18	23
123.086	123 321 21 04	8	13	13	18	18	23	18	23	—	—
123.093	123 321 21 04	18	23	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18	13	18
123.183 <sup>3)</sup>	123 321 39 04	8	13	8	13	13	18	18	23	—	—
	123 321 27 04	—	—	—	—	—	—	—	—	8	13
123.190	123 321 39 04	18	23	—	—	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	8	13	13	18	18	23
123.193 <sup>4)</sup>	123 321 27 04	13	18	18	23	—	—	—	—	—	—
	123 321 36 04	—	—	—	—	8	13	8	13	—	—
123.280 <sup>3)</sup>	123 321 37 04	8	13	13	18	18	23	—	—	—	—
	123 321 39 04	—	—	—	—	—	—	8	13	13	18
123.283 <sup>3)</sup>	123 321 37 04	13	18	18	23	18	23	—	—	—	—
	123 321 39 04	—	—	—	—	—	—	8	13	13	18

Vehicles with air-conditioning

123.083 <sup>2)</sup>	123 321 39 04	8	13	13	18	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	8	13
123.086	123 321 21 04	18	23	—	—	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	8	13	13	18	—	—
123.093	123 321 27 04	8	13	13	18	18	23	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	—	—	8	13
123.183 <sup>3)</sup>	123 321 39 04	18	23	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18	13	18
123.190	123 321 27 04	13	18	13	18	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	13	18
123.193 <sup>4)</sup>	123 321 36 04	8	13	13	18	13	18	18	23	—	—
123.280 <sup>3)</sup>	123 321 39 04	8	13	8	13	13	18	18	23	—	—
123.283 <sup>3)</sup>	123 321 39 04	8	13	8	13	13	18	18	23	—	—
	123 321 27 04	—	—	—	—	—	—	—	—	8	13

<sup>1)</sup> Special equipment: Sliding roof, ABS, automatic transmission, supplementary heater.

<sup>2)</sup> Power steering taken into account as special equipment.

<sup>3)</sup> On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

<sup>4)</sup> Automatic transmission not taken into account as special equipment.

**Adjustment of front springs (association front springs — rubber mounts)**

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

**Special version with higher additional load (permissible rear axle load 1295/1300 kg)**
**Vehicles without air-conditioning**

123.083 <sup>2)</sup>	123 321 21 04	13	18	18	23	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	13	18
123.086	123 321 27 04	8	13	8	13	13	18	18	23	—	—
123.183	123 321 39 04	13	18	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18	—	—
123.190	123 321 27 04	13	18	18	23	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	13	18
123.193 <sup>4)</sup>	123 321 36 04	8	13	13	18	18	23	18	23	—	—
123.280 <sup>3)</sup>	123 321 37 04	18	23	—	—	—	—	—	—	—	—
	123 321 39 04	—	—	8	13	13	18	18	23	18	23
123.283 <sup>3)</sup>	123 321 39 04	8	13	8	13	13	18	18	23	—	—
	123 321 27 04	—	—	—	—	—	—	—	—	8	13

**Vehicles with air-conditioning**

123.083 <sup>2)</sup>	123 321 21 04	18	23	—	—	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	13	18	18	23	18	23
123.086	123 321 27 04	8	13	13	18	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	—	—
123.183 <sup>3)</sup>	123 321 27 04	8	13	13	18	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	13	18
123.190	123 321 36 04	8	13	13	18	18	23	18	23	18	23
123.193 <sup>4)</sup>	123 321 36 04	18	23	18	23	—	—	—	—	—	—
	123 321 41 04	—	—	—	—	8	13	13	18	—	—
123.280 <sup>3)</sup>	123 321 39 04	13	18	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	8	13	13	18
123.283 <sup>3)</sup>	123 321 39 04	13	18	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18	13	18

<sup>1)</sup> Special equipment: Sliding roof, automatic transmission, ABS, supplementary heater.

<sup>2)</sup> Power steering taken into account as special equipment.

<sup>3)</sup> On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

<sup>4)</sup> Automatic transmission not taken into account as special equipment.

# **Adjustment of front springs (association front springs — rubber mounts)**

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring									
		Special equipment									
		None		1		2		3		4	
		blue	red	blue	red	blue	red	blue	red	blue	red

**Special version with normal additional load and harder suspension for countries with poor road conditions**  
(permissible rear axle load 1150/1155 kg or 1195/1200 kg)

Vehicles **without** air-conditioning

123.083 <sup>2)</sup>	123 321 39 04	8	13	13	18	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	8	13
123.086	123 321 21 04	18	23	—	—	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	8	13	13	18	—	—
123.093	123 321 27 04	8	13	13	18	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	—	—	8	13
123.183 <sup>3)</sup>	123 321 39 04	13	18	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18	13	18
123.190	123 321 27 04	8	13	13	18	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	9	13	13	18
123.193 <sup>4)</sup>	123 321 36 04	8	13	13	18	13	18	18	23	—	—
123.280 123.283	123 321 39 04	18	23	—	—	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	13	18	18	23	18	23

<sup>1)</sup> Special equipment: Sliding roof, automatic transmission, ABS, supplementary heater.

<sup>2)</sup> Power steering taken into account as special equipment.

<sup>3)</sup> On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

<sup>4)</sup> Automatic transmission not taken into account as special equipment.

# Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

**Special version with normal additional load and harder suspension for countries with poor road conditions**  
(permissible rear axle load 1150/1155 kg or 1195/1200 kg)

Vehicles with air-conditioning

123.083 <sup>2)</sup>	123 321 39 04	18	23	—	—	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	13	18	13	18	18	23
123.086	123 321 27 04	8	13	13	18	18	23	—	—	—	—
	123 321 36 04	—	—	—	—	—	—	8	13	—	—
123.093	123 321 27 04	18	23	—	—	—	—	—	—	—	—
	123 321 36 04	—	—	8	13	8	13	13	18	18	23
123.183 <sup>3)</sup>	123 321 27 04	8	13	13	18	18	23	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	—	—	8	13
123.190	123 321 27 04	18	23	—	—	—	—	—	—	—	—
	123 321 36 04	—	—	8	13	13	18	18	23	18	23
123.193 <sup>4)</sup>	123 321 36 04	18	23	18	23	—	—	—	—	—	—
	123 321 41 04	—	—	—	—	8	13	8	13	—	—
123.280 <sup>3)</sup>	123 321 39 04	18	23	18	23	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	13	18
123.283 <sup>3)</sup>	123 321 39 04	13	18	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	8	13	13	18

<sup>1)</sup> Special equipment: Sliding roof, automatic transmission, ABS, supplementary heater.

<sup>2)</sup> Power steering taken into account as special equipment.

<sup>3)</sup> On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

<sup>4)</sup> Automatic transmission not taken into account as special equipment.



## G. National versions

### Adjustment of front springs (association front springs – rubber mounts) (J) starting 1981

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring					
		Special equipment					
		None		1		2	
		Color code of spring					
		blue	red	blue	red	blue	red
Vehicles with air-conditioning							
123.023	123 321 27 04	8	13	8	13	—	—
123.033 123.053	123 321 36 04	8	13	13	18	—	—
123.093	123 321 27 04	18	23	18	23	—	—
123.123	123 321 27 04	8	13	13	18	13	18
123.130	123 321 27 04	18	23	—	—	—	—
	123 321 36 04	—	—	8	13	—	—
123.190	123 321 36 04	8	13	13	18	—	—
123.223	123 321 39 04	18	23	—	—	—	—
	123 321 27 04	18	23	8	13	—	—

<sup>1)</sup> Special equipment: Sliding roof, on model 123.123 automatic transmission.

### Adjustment of front springs (association front springs – rubber mounts) (J) starting 1983

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring			
		Special equipment			
		None	1		
		Color code of spring			
		blue	red	blue	red
Vehicles without air-conditioning					
123.033	123 321 36 04	8	13	13	18
123.053	123 321 27 04	18	23	—	—
	123 321 36 04	—	—	8	13
123.123	123 321 27 04	13	18	18	23
123.130	123 321 36 04	8	13	8	13
123.133	123 321 36 04	18	23	18	23
123.193	123 321 36 04	18	23	18	23
123.223	123 321 39 04	18	23	—	—
	123 321 27 04	—	—	8	13

<sup>1)</sup> Special equipment: Sliding roof

**Adjustment of front springs (association front springs – rubber mounts) (AUS) 1981**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring					
		Special equipment					
		None		1		2	
		Color code of spring					
		blue	red	blue	red	blue	red
Vehicles with air-conditioning							
123.023	123 321 27 04	8	13	8	13	—	—
123.033 123.053	123 321 36 04	8	13	13	18	—	—
123.093	123 321 27 04	18	23	18	23	—	—
123.123	123 321 27 04	8	13	13	18	13	18
123.130	123 321 27 04	18	23	—	—	—	—
	123 321 36 04	—	—	8	13	—	—
123.190	123 321 36 04	8	13	13	18	—	—
123.223	123 321 39 04	18	23	—	—	—	—
	123 321 27 04	—	—	8	13	—	—

<sup>1)</sup> Special equipment: Sliding roof, on model 123.123 automatic transmission.

**Adjustment of front springs (association front springs – rubber mounts) (AUS) starting 1982**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring			
		Special equipment			
		None	1		
		Color code of spring			
		blue	red	blue	red
Vehicles with air-conditioning					
123.033	123 321 36 04	8	13	13	18
123.053	123 321 36 04	8	13	8	13
123.093	123 321 36 04	13	18	18	23
123.130	123 321 27 04	18	23	—	—
	123 321 36 04	—	—	8	13
123.190	123 321 36 04	13	18	13	18
123.223	123 321 39 04	18	23	—	—
	123 321 27 04	—	—	8	13
123.283 <sup>2)</sup>	123 321 39 04	13	18	18	23

<sup>1)</sup> Special equipment: Sliding roof.

<sup>2)</sup> Starting model year 1984.

**Adjustment of front springs (association front springs – rubber mounts) (USA) 1979**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment and color code of spring											
		Special equipment											
		None		1		2		3		4			
		Color code of spring											
		blue	red	blue	red	blue	red	blue	red	blue	red	blue	red

**Vehicles without air-conditioning**

123.023	123 321 39 04	—	—	—	—	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	—	—	8	13	13	18
123.123	123 321 27 04	8	13	8	13	13	18	13	18	18	23

**Vehicles with air-conditioning**

123.023	123 321 27 04	—	—	—	—	8	13	13	18	18	23
123.033	123 321 36 04	—	—	—	—	13	18	18	23	18	23
123.053	123 321 36 04	—	—	—	—	13	18	18	23	18	23
123.123	123 321 27 04	13	18	18	23	18	23	18	23	18	23
123.130	123 321 36 04	—	—	—	—	13	18	18	23	18	23
123.150	123 321 36 04	—	—	—	—	13	18	18	23	18	23
123.190	123 321 36 04	—	—	—	—	13	18	13	18	18	23

**Adjustment of front springs (association front springs – rubber mounts) (USA) 1980**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment and color code of spring					
		Special equipment <sup>1)</sup>					
		None		1		2	
		Color code of spring					
		blue	red	blue	red	blue	red

**Vehicle without air-conditioning**

123.123	123 321 39 04	18	23	—	—	—	—		
	123 321 27 04	—	—	8	13	8	13		

**Vehicles with air-conditioning**

123.033	123 321 36 04	8	13	13	18	—	—		
123.053	123 321 36 04	8	13	8	13	—	—		
123.123	123 321 27 04	8	13	13	18	13	18		
123.130	123 321 36 04	8	13	8	13	—	—		
123.150	123 321 27 04	18	23	—	—	—	—		
	123 321 36 04	—	—	8	13	—	—		
123.190	123 321 27 04	18	23	18	23	—	—		

<sup>1)</sup> Special equipment: Sliding roof, automatic transmission (model 123.123 only).

**Adjustment of front springs (association front springs – rubber mounts) (USA) 1981**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring					
		Special equipment					
		None		1		2	
		Color code of spring					
		blue	red	blue	red	blue	red
Vehicles without air-conditioning							
123.123	123 321 27 04	8	13	8	13	13	18
Vehicles with air-conditioning							
123.123	123 321 27 04	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	8	13
Vehicles with automatic climate control							
123.033 123.053 123.130	123 321 36 04	13	18	18	23	—	—
123.150	123 321 36 04	13	18	13	18	—	—
123.193	123 321 41 04	8	13	8	13	—	—
126.033	126 321 17 04	13	18	18	23	—	—
126.120	126 321 18 04	8	13	8	13	—	—

<sup>1)</sup> Special equipment: Sliding roof, on model 123.123 automatic transmission.

**Adjustment of front springs (association front springs – rubber mounts) (USA) starting 1982**

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment <sup>1)</sup> and color code of spring					
		Special equipment					
		None		1		2	
		Color code of spring					
		blue	red	blue	red	blue	red
Vehicles <b>without</b> air-conditioning							
123.123	123 321 27 04	8	13	8	13	13	18
Vehicles <b>with</b> air-conditioning							
123.123	123 321 27 04	13	18	18	23	—	—
Vehicles <b>with</b> automatic climate control							
123.123	114 321 36 04	18	23	—	—	—	—
	123 321 41 04	—	—	8	13	—	—
123.153	123 321 36 04	18	23	18	23	—	—
123.193	123 321 41 04	18	23	18	23	—	—

<sup>1)</sup> Special equipment: Sliding roof, on model 123.123 automatic transmission.